The Texas ELR Data System

Doug Hamaker
NEDSS Coordinator
Texas Department of Health

A Simplified Approach

ELR Message Mechanics



ELR Objectives

- Replace existing ELR capacities located within organization
- Consolidate
- Provide efficiencies/enhancements
- PHIN-compliance strategy

Design Considerations

- Modular
- Use of existing components
- Allow flexibility for future upgrades or enhancements (per each module)
- Cost
- Incorporation of Best Practices

Design Features

- Incoming data mapped to HL7 v2.3.1
- Use of NBS data model
- Output of data to legacy systems
  - ascii
  - .dbf
- Supports linking to NBS MSGIN for in-scope conditions

Electronic Laboratory Reporting

Message Services



HL7 Mapper


LINKTools HL7 Mapper, E:\Incoming\Maps\labcorp.MPR
File Save Save As Global SimpleEditor
IN BOUND
OUT BOUND
LabCorp
Input: E:\Incoming\LABCORP*.HL7
Format: HL7
Delimiters: |^&~\
Output: E:\Incoming\OutXML*.xml
Write Out
Format: XML
Option
No DB
DBASE (DBF)
Password?
P
DB Name: LINKTools
DB Table: WebSelect
Server (or localhost):
OnePage: 20
Display:
Edit
Segment: MSH
HL7
Show All
Editable
Index
Rules
Write Out
Key
Display
Field
File
Length
1 MSH_3 SendingApplication 20
2 MSH_4_1 SendingFacilityNamespaceID 15
3 MSH_4_2 SendingFacilityUniversalID 15
4 MSH_4_3 SendingFacilityUniversalIDType 15
5 MSH_5 ReceivingApplication 20
6 MSH_6 ReceivingFacility 20
7 MSH_7 MessageDateTime 26
8 MSH_9_1 MessageTypeID 10
9 MSH_9_2 TriggerEventID 10
10 MSH_10 MessageControlID 20
11 MSH_11 ProcessingID 3
12 MSH_12 HL7VersionID 15
13 PID_1 SetIDPatientID 4
14 PID_3_1 PatientIDID 15
15 PID_3_6 PatientIDAssigningFacility 5

Processed to NBS Schema



Procedures Within Oracle



Web-Enabled Data Access





Next Steps

- PHIN MS
- Transition to Production NBS
- More Labs
- Pathology
- Consideration for Clinical Data